INDEX TO VOLUME 67C

January to December 1963

A

Page

A power-series buildup factor formulation. Application to rectangular and off-axis disk source problems ... 291
Air bearings, application of, to an electrodynamic vibration standard ... 327
Almer, H. W., H. A. Bowman, Minimization of the arrestment error in one-pan two-knife balance systems ... 227
An alinement interferometer ... 307
Analysis of a microwave radiometer for precise standardization of noise sources ... 139
Apparatus for the detection of piezoelectric coupling ... 197
Application to air bearings to an electrodynamic vibration standard ... 327
Aqueous solution, equipment for single crystal growth ... 25
Arrestment error in one-pan two-knife balance systems, minimization ... 227
Automatic multichannel correlator ... 33

B

Balance systems, one-pan two-knife, minimization of the arrestment error ... 227
Blaine, L. R., A far-infrared vacuum grating spectrometer ... 207
Bowman, H. A., H. E. Almer, Minimization of the arrestment error in one-pan two-knife balance systems ... 227
Brown, R. F., Jr., Automatic multichannel correlator ... 33
Buildup source, a power-series buildup factor formulation, application ... 291

C

Calibrating method, a standard volt box ... 1
Calibration systems, instrument, realistic evaluation of the precision and accuracy ... 161
Cassidy, E. C., D. H. Tsai, New fast-opening, large-aperture shutter for high-speed photography ... 65
Cellulosic materials exposed to thermal radiation, surface flame propagation ... 251
Colorimeter, thermoelectric, development of filters ... 319
Compensation and measurement, drag with manned satellites: feasibility study ... 247
Conduction, steady state heat, in cylinders with multiple continuous line heat sources ... 119
Correlator, multichannel, automatic ... 33
Crystal growth, single, from aqueous solution, equipment ... 25
Cylinders with multiple continuous line heat sources, steady state heat conduction ... 119

D

Darling, W. F., F. E. Washer, Determination of optical path difference for a photographic objective ... 311
Determination of optical path difference for a photographic objective ... 311
Determination of residual thiosulfate in processed film ... 237
Development of filters for a thermoelectric colorimeter ... 319
Dimoff, T., B. F. Payne, Application of air bearings to an electrodynamic vibration standard ... 327
Disk source, a power-series buildup factor formulation, application ... 291
Drag compensation and measurement with manned satellites: feasibility study ... 247
Dunfee, B. L., Method for calibrating a standard volt box ... 1

E

Eisenhart, C., Realistic evaluation of the precision and accuracy of instrument calibration systems ... 161
Elastic constant—porosity relations for polycrystalline thoria ... 39
Elastic constants of thoria specimens of varying porosity, temperature dependence ... 93
Electrolytic hydrogen and deuterium through iron, permeation rates ... 111
Electron beam density of unipotential electron guns at low voltages ... 279
Electron guns, unipotential, at low voltages, limitations on electron beam density ... 279
Emara, S. H., R. P. Teele, Development of filters for a thermoelectric Colorimeter ... 319
Emittance, relation of, to other optical properties ... 217
Equations for the radiofrequency magnetic permeameter ... 69
Equipment for a single crystal growth from aqueous solution ... 25

F

Far-infrared vacuum grating spectrometer ... 207
Flame propagation, surface, on cellulosic materials exposed to thermal radiation ... 251
Film, processed, determination of residual thiosulfate ... 237
Filters for a thermoelectric colorimeter, development ... 319
Flynn, D. R., Radial-flow apparatus for determining the thermal conductivity of loose-fill insulations to high temperatures ... 129
Frenkel, L., Apparatus for the detection of piezoelectric coupling ... 197

G

Greenspan, L., Oxygen partial pressure warning instrument ... 47
Gross, D., J. J. Loftus, Surface flame propagation on cellulosic materials exposed to thermal radiation ... 251
Guns, unipotential electron, at low voltages, limitations on electron beam density ... 279

H

Page

Harrington, R. D., C. A. Hoer, Parallel reversible permeability measurement techniques from 50 kc/s to 3 Gc/s ... 259
High-speed photography, new fast-opening, large-aperture shutter ... 65
Hoer, C. A., R. D. Harrington, Parallel reversible permeability measurement techniques from 50 kc/s to 3 Gc/s ... 259
—, *A. L. Rasmussen*, Equations for the radiofrequency magnetic permeameter ... 69
Horton, A. T., J. L. Torgesen, C. P. Saylor, Equipment for single crystal growth from aqueous solution ... 25
Howard, F. L., Leak-resistant rotation seal for vacuum applications ... 335
Hubbell, J. H., A power-series buildup factor formulation. Application to rectangular and off-axis disk source problems ... 291
Hydrogen and deuterium, electrolytic through iron permeation rates ... 111

I

Infrared, far, vacuum grating ... 207
Instrument calibration systems, realistic evaluation of the precision and accuracy ... 161
Insulations, thermal conductivity of loose-fill, high temperature, radial-flow apparatus for determining ... 129
Interferometer, alinement ... 307
Interferometers, large aperture with small beam dividers ... 201

K

Knudsen, F. P., S. Spinner, L. Stone, Elastic constant—porosity relations for polycrystalline thoria ... 39
—, —, —, Temperature dependence of the elastic constants of thoria specimens of varying porosity ... 93
Kuyatt, C. E., J. A. Simpson, Limitations on electron beam density of unipotential electron guns at low voltages ... 279

L

Langer, R. M., J. P. Vinti, Drag compensation and measurement with manned satellites: feasibility study ... 247
Large aperture interferometers with small beam dividers ... 201
Leak-resistant rotation seal for vacuum applications ... 335
Limitations on electron beam density of unipotential electron guns at low voltages ... 279
Loftus, J. J., D. Gross, Surface flame propagation on cellulosic materials exposed to thermal radiation ... 251

M

Magnetic permeameter, equations for the radiofrequency ... 69
Manned satellites, drag compensation and measurement with: feasibility study ... 247
Measurement and compensation, drag, with manned satellites: feasibility study ... 247
Method for calibrating a standard bolt box ... 1
Microfilm, processed, stability of residual thiosulfate ... 15
Microwave noise sources, radiometer for precise standardization ... 139
Mills, R. M., New radiofrequency mass spectrometer having high duty cycle ... 283
Minimization of the arrestment error in one-pan two-knife balance systems ... 227
Multichannel correlator, automatic ... 33

N

New fast-opening, large-aperture shutter for high-speed photography ... 65
New radiofrequency mass spectrometer having high duty cycle ... 283
Newton, C. J., Residual stresses and their relaxation on the surfaces of sections cut from plastically deformed steel specimens ... 101
Noise, electrical, analysis of a microwave radiometer for precise standardization ... 139

O

One-pan two-knife balance systems, minimization of the arrestment error ... 227
Optical path difference, for a photographic objective ... 311
Optical properties, relation of emittance ... 217
Oxygen partial pressure warning instrument ... 47

P

Parallel reversible permeability measurement techniques from 50 kc/s to 3 Gc/s ... 259
Partial pressure warning instrument, oxygen ... 47
Payne, B. F., T. Dimoff, Application of air bearings to an electrodynamic vibration standard ... 327
Peavy, B. A., Steady state heat conduction in cylinders with multiple continuous line heat sources ... 119
Permeability measurement techniques from 50 kc/s to 3 Gc/s ... 259
Permeameter, magnetic, equations for radiofrequency ... 69
Permeation rates of electrolytic hydrogen and deuterium through iron ... 111
Photography, high-speed, new fast-opening, large-aperture shutter ... 65
Piezoelectric coupling, apparatus for the detection of ... 197
Pitts, J. W., Permeation rates of electrolytic hydrogen and deuterium through iron ... 111
Pointing interferometer ... 307
Polycrystalline thoria, elastic constant—porosity relations ... 39
Pope, C. L., Determination of residual thiosulfate in processed film ... 237
—, Stability of residual thiosulfate in processed microfilm ... 15
Porosity relations for polycrystalline thoria ... 39

Page

Pressure warning instrument, partial, oxygen 47
Properties, optical, relation of emittance 217

R

Radial-flow apparatus for determining the thermal conductivity of loose-fill insulations to high temperatures 129
Radiation, thermal, surface flame propagation on cellulosic materials exposed 251
Radiofrequency magnetic permeameter, equations 69
Radiofrequency, new, mass spectrometer having high duty cycle 283
Radiometers, microwave, for precise standardization of noise sources, analysis 137
Rasmussen, A. L., C. A. Hoer, Equations for the radiofrequency magnetic permeameter 69
Rectangular source, a power-series buildup factor formulation, application 291
Realistic evaluation of the precision and accuracy of instrument calibration systems 161
Relation of emittance to other optical properties 217
Residual stresses and their relaxation on the surfaces of sections cut from plastically deformed steel specimens 101
Residual thiosulfate, stability of, in processed microfilm 15
Richardson, J. M., G. D. Ward, Analysis of a microwave radiometer for precise standardization of noise sources 139
Richmond, J. C., Relation of emittance to other optical properties 217

S

Satellites, manned, drag compensation and measurement with: feasibility study 247
Saunders, J. B., An alinement interferometer 307
—, Large aperture interferometers with small beam dividers 201
Saylor, C. P., J. L. Torgesen, A. T. Horton, Equipment for a single crystal growth from aqueous solution 25
Seal, leak-resistant rotation, for vacuum applications 335
Shutter, new fast-opening, large-aperture, for high-speed photography 65
Simpson, J. A., C. E. Kuyatt, Limitations on electron beam density of unipotential electron guns at low voltages 279
Spectrometer, a far-infrared vacuum grating 207
Spectrometer, mass, new radiofrequency, having high duty cycle 283
Spinner, S., F. P. Knudsen, L. Stone, Elastic constant—porosity relations for polycrystalline thoria 39
—, —, —, Temperature dependence of the elastic constants of thoria specimens of varying porosity 93
Stability of residual thiosulfate in processed microfilm 15
Standard volt box, method for calibrating 1
Standards, noise sources, analysis of a microwave radiometer 139
Steady state heat conduction in cylinders with multiple continuous line heat sources 119

Page

Steel specimens, plastically deformed, surfaces of sections cut from, residual stresses and their relaxation 101
Stone, L., S. Spinner, F. P. Knudsen, Elastic constant—porosity relations for polycrystalline thoria 39
—, —, —, Temperature dependence of the elastic constants of thoria specimens of varying porosity 93
Studies on the tungsten-rhenium thermocouple to 2000 °C 337
Surface flame propagation on cellulosic materials exposed to thermal radiation 251

T

Teele, P. P., S. H. Emara, Development of filters for a thermoelectric colorimeter 319
Temperature dependence of the elastic constants of thoria specimens of varying porosity 93
Thermal conductivity of loose-fill insulations to high temperatures, radial-flow apparatus for determining 129
Thermal radiation, surface flame propagation on cellulosic materials exposed 251
Thermocouple, tungsten-rhenium, to 2000 °C, studies on 337
Thermoelectric colorimeter, development of filters for 319
Thiosulfate, residual, in processed film, determination 237
Thiosulfate, stability of residual, in processed microfilm 15
Thomas, D. R., Studies on the tungsten-rhenium thermocouple 337
Thoria, polycrystalline, elastic constant—porosity relations 39
Thoria specimens of varying porosity, temperature dependence of the elastic constants 93
Torgesen, J. L., A. T. Horton, C. P. Saylor, Equipment for single crystal growth from aqueous solution 25
Tsai, D. H., E. C. Cassidy, New fast-opening, large-aperture shutter for high-speed photography 65
Tungsten-rhenium thermocouple to 2000 °C, studies on 337

V

Vacuum applications, leak-resistant rotation seal 335
Vibration, electrodynamic exciter, application of air bearings 327
Vinti, J. P., P. M. Langer, Drag compensation and measurement with manned satellites: feasibility study 247
Volt box, standard, method for calibrating 1

W

Ward, G. D., J. M. Richardson, Analysis of a microwave radiometer for precise standardization of noise sources 139
Washer, F. E., W. P. Darling, Determination of optical path difference for a photographic objective 311

U.S. GOVERNMENT PRINTING OFFICE: 1963

UNITED STATES DEPARTMENT OF COMMERCE • Luther H. Hodges, *Secretary*
NATIONAL BUREAU OF STANDARDS • A. V. Astin, *Director*

Engineering and Instrumentation

Section C

JOURNAL OF RESEARCH

of the

NATIONAL BUREAU OF STANDARDS

Volume 67C—January to December 1963
Papers 67C1–114 to 67C4–146

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

Corrections to be noted in Volume 67 of the JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation

Page	Column	Line	Now reads in part	Should read
12	2	eq. (25) ... 17 from bottom.	Insert the following before this equation: R Insert the following before this equation: d	
50	.....	eq. (18) ...	$\left[P_0 e^{-\frac{At_y Z\sqrt{Tt}}{V_y K\sqrt{M_{ty}}}} + \sqrt{\frac{M_1}{M_{2y}}} P_1 \left(1-e^{-\frac{At_y Z\sqrt{Tt}}{V_y K\sqrt{M_{ty}}}}\right)\right]$	$\left[P_0 e^{-\frac{At_y Z\sqrt{Tt}}{V_y K\sqrt{M_{ty}}}} + \sqrt{\frac{M_1}{M_{2y}}} P_1 \left(1-e^{-\frac{At_y Z\sqrt{Tt}}{V_y K\sqrt{M_{ty}}}}\right)\right]$.
55	.....	12 from bottom.	absorber bolume.....	absorber volume
71	1	17.....	$QQ_r^2 \gg 1$,.....	$QQ_r^2 \gg 1$,
121	.....	eq. (8).....	$\left[\left(\frac{r}{r'}\right)^n +$.....	$\left[\left(\frac{r}{r'}\right)^n +$
230	2	5 from bottom.	center-knife contact.....	bearings in contact.
248	1	8 from bottom.	$\boldsymbol{a}_D = \boldsymbol{F}_D/m_a$,.....	$\boldsymbol{a}_D = -\boldsymbol{F}_D/m_a$.
254	2	Fig. 4, legend.	GU 4 Effect.....	Figure 4. Effect
293	1	eq. (8) ...	$-(b\mu_0 r)$.....	$+(b\mu_0 r)$.
295	1 Table 2, 4	Footnote 4, 2.	$\beta'_n(E_0, Z)$.....	$\beta'_n(E_0, Z)$
	Table 2, 4	2.....	$(-b\mu_0 r)$.....	$(-b\mu_0 r)$
	Table 2, 6	2.....	$\binom{n}{i} b^{i-1}$.....	$\binom{n}{i} b^{i-1}$
309		Fig. 6, legend 3.	perpendicular to the plane of.....	perpendicular to the dividing plane of

CONTENTS OF VOLUME 67C

Volume 67C—No. 1—January–March 1963

Page

Method for calibrating a standard volt box. Bernadine L. Dunfee 1
Stability of residual thiosulfate in processed microfilm. C. I. Pope 15
Equipment for single crystal growth from aqueous solution. John L. Torgesen, Avery T. Horton, and Charles P. Saylor 25
An automatic multichannel correlator. Robert F. Brown, Jr 33
Elastic constant—porosity relations for polycrystalline thoria. S. Spinner, F. P. Knudsen, and L. Stone 39
An oxygen partial pressure warning instrument. Lewis Greenspan 47
New fast-opening, large-aperture shutter for high-speed photography. E. C. Cassidy and D. H. Tsai 65
Equations for the radiofrequency magnetic permeameter. Cletus A. Hoer and Alvin L. Rasmussen 69

Volume 67C—No. 2—April–June 1963

Temperature dependence of the elastic constants of thoria specimens of varying porosity. S. Spinner, L. Stone, and F. P. Knudsen 93
Residual stresses and their relaxation on the surfaces of sections cut from plastically deformed steel specimens. Clarence J. Newton 101
Permeation rates of electrolytic hydrogen and deuterium through iron. Joseph W. Pitts 111
Steady state heat conduction in cylinders with multiple continuous line heat sources. B. A. Peavy 119
A radial-flow apparatus for determining the thermal conductivity of loose-fill insulations to high temperatures. D. R. Flynn 129
Analysis of a microwave radiometer for precise standardization of noise sources. Gray D. Ward and John M. Richardson 139
Realistic evaluation of the precision and accuracy of instrument calibration systems. Churchill Eisenhart 161

Volume 67C—No. 3—July–September 1963

Page

Apparatus for the detection of piezoelectric coupling. Lothar Frenkel..... 197
Large aperture interferometers with small beam dividers. James B. Saunders..... 201
A far-infrared vacuum grating spectrometer. L. R. Blaine..... 207
Relation of emittance to other optical properties. J. C. Richmond..... 217
Minimization of the arrestment error in one-pan, two-knife balance systems. H. A. Bowman and H. E. Almer..... 227
Determination of residual thiosulfate in processed film. Chester I. Pope... 237
Drag compensation and measurement with manned satellites: feasibility study. R. M. Langer and J. P. Vinti..... 247
Surface flame propagation on cellulosic materials exposed to thermal radiation. D. Gross and J. J. Loftus..... 251
Parallel reversible permeability measurement techniques from 50 kc/s to 3 Gc/s. Cletus A. Hoer and R. D. Harrington..... 259

Volume 67C—No. 4—October–December 1963

Limitations on electron beam density of unipotential electron guns at low voltages. J. Arol Simpson and C. E. Kuyatt..... 279
New radiofrequency mass spectrometer having high duty cycle. Robert M. Mills..... 283
A power-series buildup factor formulation. Application to rectangular and off-axis disk source problems. J. H. Hubbell..... 291
An alinement interferometer. J. B. Saunders..... 307
Determination of optical path difference for a photographic objective. Francis E. Washer and Walter R. Darling..... 311
Development of filters for a thermoelectric colorimeter. Sayeda H. Emara and Ray P. Teele..... 319
Application of air bearings to an electrodynamic vibration standard. T. Dimoff and B. F. Payne..... 327
Leak-resistant rotation seal for vacuum applications. Frank L. Howard... 335
Studies on the tungsten-rhenium thermocouple to 2000 °C. Douglas B. Thomas..... 337

U.S. GOVERNMENT PRINTING OFFICE: 1964